





Ergebnis: **414.3** (397)
 Serien: 104.2 102.4 102.7 105.0
 Zähler: 37 3 0 0 0 0 0 0 0 0
 Innenzehner: 32
 weiteste: 329 (2), 290 (29), 251 (21)
 beste Teiler 11.0 (1.) 47.0 (34.) 58.3 (8.)
 Trefferlage 0.30 mm rechts, 0.19 mm tief
 Streuwert 1.14, horizontal: 1.24, vertikal: 1.03




Serie 1:
 10.9 * 9.6 → 10.2 * 10.4 * 10.3 *
 10.7 * 10.5 * 10.7 * 10.7 * 10.2 *
 beste Teiler 11.0 (1.) 58.3 (8.) 63.5 (6.)
 Trefferlage 0.42 mm rechts, 0.25 mm tief
 Streuwert 1.12, horizontal: 1.36, vertikal: 0.81



Serie 2:
 10.0 ↘ 10.5 * 10.0 → 10.3 * 10.2 *
 10.6 * 10.0 ↗ 10.4 * 10.2 * 10.2 *
 beste Teiler 96.2 (16.) 110.1 (12.) 126.3 (18.)
 Trefferlage 0.71 mm rechts, 0.26 mm tief
 Streuwert 1.24, horizontal: 1.29, vertikal: 1.18



Serie 3:
 9.9 → 10.0 ↙ 10.4 * 10.6 * 10.5 *
 10.6 * 10.0 ↘ 10.6 * 9.8 ↗ 10.3 *
 beste Teiler 85.0 (28.) 99.0 (26.) 100.4 (24.)
 Trefferlage 0.11 mm rechts, 0.29 mm tief
 Streuwert 1.37, horizontal: 1.37, vertikal: 1.36





Serie 4:
 10.6 * 10.4 * 10.3 * 10.8 * 10.5 *
 10.4 * 10.6 * 10.5 * 10.3 * 10.6 *
 beste Teiler 47.0 (34.) 77.0 (31.) 84.7 (40.)
 Trefferlage 0.04 mm links, 0.04 mm hoch
 Streuwert 0.87, horizontal: 0.95, vertikal: 0.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **415.3** (395)
 Serien: 104.2 101.5 104.8 104.8
 Zähler: 35 5 0 0 0 0 0 0 0 0
 Innenzehner: 29
 weiteste: 342 (12), 335 (15), 296 (16)
 beste Teiler 14.2 (6.) 17.0 (29.) 42.7 (36.)
 Trefferlage 0.53 mm rechts, 0.12 mm hoch
 Streuwert 1.13, horizontal: 1.24, vertikal: 1.00




Serie 1:
 10.5 * 10.6 * 9.9 → 10.8 * 10.6 *
 10.9 * 10.1 ↘ 10.2 * 10.5 * 10.1 ↙
 beste Teiler 14.2 (6.) 43.1 (4.) 85.0 (2.)
 Trefferlage 0.33 mm rechts, 0.52 mm tief
 Streuwert 1.04, horizontal: 1.20, vertikal: 0.86



Serie 2:
 10.1 ↖ 9.6 → 10.5 * 10.0 ↑ 9.6 →
 9.8 → 10.3 * 10.5 * 10.5 * 10.6 *
 beste Teiler 97.5 (20.) 108.0 (19.) 114.9 (18.)
 Trefferlage 0.76 mm rechts, 0.36 mm hoch
 Streuwert 1.53, horizontal: 1.75, vertikal: 1.28



Serie 3:
 10.6 * 10.6 * 10.6 * 10.4 * 10.0 ↑
 10.6 * 10.6 * 10.5 * 10.9 * 10.0 →
 beste Teiler 17.0 (29.) 81.4 (27.) 89.8 (22.)
 Trefferlage 0.70 mm rechts, 0.48 mm hoch
 Streuwert 0.82, horizontal: 0.88, vertikal: 0.75





Serie 4:
 9.9 ↘ 10.2 * 10.4 * 10.4 * 10.7 *
 10.8 * 10.6 * 10.7 * 10.6 * 10.5 *
 beste Teiler 42.7 (36.) 64.4 (38.) 68.3 (35.)
 Trefferlage 0.34 mm rechts, 0.16 mm hoch
 Streuwert 0.98, horizontal: 1.11, vertikal: 0.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **407.2** (389)
 Serien: 99.9 103.4 102.1 101.8
 Zähler: 29 11 0 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 496 (7), 432 (8), 361 (11)
 beste Teiler 18.4 (20.) 26.1 (30.) 36.0 (9.)
 Trefferlage 0.26 mm links, 0.16 mm tief
 Streuwert 1.59, horizontal: 1.82, vertikal: 1.33




Serie 1:
 10.6 * 10.5 * 9.6 ↑ 10.3 * 10.5 *
 9.6 ← 9.0 ↙ 9.2 ← 10.8 * 9.8 ↑
 beste Teiler 36.0 (9.) 85.0 (1.) 115.0 (2.)
 Trefferlage 1.16 mm links, 0.95 mm hoch
 Streuwert 1.80, horizontal: 2.14, vertikal: 1.38



Serie 2:
 9.5 → 10.8 * 10.1 ↓ 10.5 * 10.5 *
 9.8 ← 10.2 * 10.6 * 10.5 * 10.9 *
 beste Teiler 18.4 (20.) 38.6 (12.) 94.0 (18.)
 Trefferlage 0.21 mm links, 0.44 mm tief
 Streuwert 1.36, horizontal: 1.71, vertikal: 0.86



Serie 3:
 10.1 → 9.5 ← 10.5 * 10.1 ↓ 10.3 *
 10.7 * 10.3 * 10.0 ↓ 9.8 ↙ 10.8 *
 beste Teiler 26.1 (30.) 75.2 (26.) 105.6 (23.)
 Trefferlage 0.38 mm links, 0.68 mm tief
 Streuwert 1.41, horizontal: 1.65, vertikal: 1.13





Serie 4:
 10.2 * 10.6 * 10.2 * 10.1 → 10.5 *
 10.2 * 10.1 ↓ 9.8 → 9.7 ↓ 10.4 *
 beste Teiler 91.4 (32.) 101.6 (35.) 148.3 (40.)
 Trefferlage 0.72 mm rechts, 0.47 mm tief
 Streuwert 1.41, horizontal: 1.47, vertikal: 1.35


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **415.8** (399)
 Serien: 103.8 103.3 104.0 104.7
 Zähler: 39 1 0 0 0 0 0 0 0 0
 Innenzehner: 34
 weiteste: 266 (24), 246 (3), 245 (19)
 beste Teiler 9.8 (8.) 25.0 (26.) 47.8 (22.)
 Trefferlage 0.18 mm rechts, 0.22 mm tief
 Streuwert 1.07, horizontal: 1.00, vertikal: 1.14




Serie 1:
 10.4 * 10.4 * 10.0 ↗ 10.6 * 10.5 *
 10.4 * 10.1 ↓ 10.9 * 10.2 * 10.3 *
 beste Teiler 9.8 (8.) 90.0 (4.) 109.4 (5.)
 Trefferlage 0.36 mm rechts, 0.12 mm tief
 Streuwert 1.10, horizontal: 0.81, vertikal: 1.34



Serie 2:
 10.1 ↖ 10.5 * 10.5 * 10.5 * 10.6 *
 10.0 ↓ 10.5 * 10.4 * 10.0 ↘ 10.2 *
 beste Teiler 78.2 (15.) 104.6 (17.) 115.5 (12.)
 Trefferlage 0.01 mm links, 1.04 mm tief
 Streuwert 0.97, horizontal: 1.09, vertikal: 0.83



Serie 3:
 10.6 * 10.8 * 10.4 * 9.9 → 10.2 *
 10.9 * 10.2 * 10.3 * 10.2 * 10.5 *
 beste Teiler 25.0 (26.) 47.8 (22.) 83.8 (21.)
 Trefferlage 0.35 mm rechts, 0.28 mm hoch
 Streuwert 1.13, horizontal: 1.25, vertikal: 1.00





Serie 4:
 10.3 * 10.8 * 10.6 * 10.4 * 10.5 *
 10.6 * 10.4 * 10.4 * 10.3 * 10.4 *
 beste Teiler 49.7 (32.) 96.7 (33.) 99.2 (36.)
 Trefferlage 0.03 mm rechts, 0.00 mm
 Streuwert 0.96, horizontal: 0.91, vertikal: 1.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **408.2** (391)
 Serien: 103.1 101.1 102.9 101.1
 Zähler: 32 7 1 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 522 (28), 366 (12), 338 (36)
 beste Teiler 33.0 (30.) 45.3 (39.) 46.5 (21.)
 Trefferlage 0.07 mm links, 0.16 mm tief
 Streuwert 1.52, horizontal: 1.45, vertikal: 1.58




Serie 1:
 10.4 * 10.4 * 10.2 * 10.6 * 10.0 →
 10.6 * 10.4 * 10.3 * 10.2 * 10.0 ↘
 beste Teiler 91.2 (4.) 94.0 (6.) 138.1 (2.)
 Trefferlage 0.00 mm , 0.13 mm tief
 Streuwert 1.25, horizontal: 1.37, vertikal: 1.12



Serie 2:
 10.1 ↑ 9.5 ↓ 10.2 * 10.4 * 10.0 ↘
 10.1 ↓ 10.1 → 10.6 * 10.3 * 9.8 ↙
 beste Teiler 94.5 (18.) 141.4 (14.) 156.2 (19.)
 Trefferlage 0.19 mm rechts, 0.22 mm hoch
 Streuwert 1.64, horizontal: 1.47, vertikal: 1.80



Serie 3:
 10.8 * 10.4 * 10.7 * 10.7 * 9.8 ✓
 10.1 ↓ 10.7 * 8.9 ↓ 10.0 ↙ 10.8 *
 beste Teiler 33.0 (30.) 46.5 (21.) 54.5 (24.)
 Trefferlage 0.04 mm links, 1.01 mm tief
 Streuwert 1.46, horizontal: 1.29, vertikal: 1.62





Serie 4:
 10.6 * 9.8 ↘ 10.0 ↑ 9.7 ✓ 10.1 →
 9.6 ↙ 10.6 * 9.8 ↙ 10.8 * 10.1 ↑
 beste Teiler 45.3 (39.) 87.9 (31.) 95.3 (37.)
 Trefferlage 0.43 mm links, 0.24 mm hoch
 Streuwert 1.69, horizontal: 1.77, vertikal: 1.60


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **404.6** (387)
 Serien: 100.8 101.4 99.3 103.1
 Zähler: 28 11 1 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 536 (24), 435 (16), 411 (29)
 beste Teiler 30.4 (32.) 55.3 (11.) 71.1 (31.)
 Trefferlage 0.04 mm rechts, 0.08 mm tief
 Streuwert 1.69, horizontal: 1.66, vertikal: 1.73




Serie 1:
 10.1 ← 10.1 ↑ 9.9 ↘ 10.5 * 9.6 ↘
 10.1 ↑ 10.2 * 10.6 * 10.0 ↑ 9.7 ↘
 beste Teiler 99.7 (8.) 122.4 (4.) 178.1 (7.)
 Trefferlage 0.34 mm links, 0.36 mm hoch
 Streuwert 1.67, horizontal: 1.46, vertikal: 1.85



Serie 2:
 10.7 * 10.7 * 10.4 * 9.6 ↑ 10.5 *
 9.2 ↘ 10.3 * 10.2 * 9.5 ↓ 10.3 *
 beste Teiler 55.3 (11.) 73.6 (12.) 111.8 (15.)
 Trefferlage 0.64 mm rechts, 0.53 mm tief
 Streuwert 1.66, horizontal: 1.35, vertikal: 1.92



Serie 3:
 10.7 * 9.9 ↓ 10.0 ↑ 8.8 ← 10.5 *
 10.3 * 10.0 ↘ 10.0 ↗ 9.3 ↘ 9.8 ↘
 beste Teiler 73.4 (21.) 121.4 (25.) 163.0 (26.)
 Trefferlage 0.35 mm rechts, 0.10 mm tief
 Streuwert 2.12, horizontal: 2.37, vertikal: 1.84





Serie 4:
 10.7 * 10.8 * 10.4 * 9.8 ↘ 9.8 ↓
 10.4 * 10.6 * 10.0 ↘ 10.2 * 10.4 *
 beste Teiler 30.4 (32.) 71.1 (31.) 87.3 (37.)
 Trefferlage 0.46 mm links, 0.04 mm tief
 Streuwert 1.30, horizontal: 1.16, vertikal: 1.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **394** (411.9)
 Serien: 99 98 98 99
 Zähler: 35 4 1 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 1770 (27), 1242 (11), 982 (36)
 beste Teiler 39.2 (14.) 103.3 (6.) 118.6 (13.)
 Trefferlage 0.84 mm rechts, 0.58 mm hoch
 Streuwert 4.36, horizontal: 5.17, vertikal: 3.36




Serie 1:
 10.6 * 10.4 * 10.6 * 9.8 ← 10.2 →
 10.8 * 10.6 * 10.3 ← 10.6 * 10.1 ←
 beste Teiler 103.3 (6.) 271.4 (3.) 272.6 (7.)
 Trefferlage 0.89 mm links, 0.16 mm tief
 Streuwert 3.62, horizontal: 4.77, vertikal: 1.88



Serie 2:
 9.4 ↗ 10.3 ↓ 10.8 * 10.9 * 10.3 ↓
 10.2 ← 10.2 ← 10.1 ↘ 9.7 → 10.5 *
 beste Teiler 39.2 (14.) 118.6 (13.) 344.0 (20.)
 Trefferlage 0.43 mm rechts, 0.15 mm tief
 Streuwert 4.86, horizontal: 5.53, vertikal: 4.07



Serie 3:
 10.6 * 10.1 ↑ 10.5 * 10.3 ↖ 10.3 ↖
 10.0 ↘ 8.7 → 10.6 * 10.6 * 10.2 ↗
 beste Teiler 284.0 (21.) 295.1 (28.) 295.3 (29.)
 Trefferlage 1.20 mm rechts, 2.33 mm hoch
 Streuwert 5.18, horizontal: 6.82, vertikal: 2.66



Serie 4:
 10.1 → 10.0 ↓ 10.8 * 10.1 ↗ 10.7 *
 9.7 ↗ 10.6 * 10.3 ↘ 10.5 * 10.8 *
 beste Teiler 140.0 (40.) 156.2 (33.) 173.3 (35.)
 Trefferlage 2.63 mm rechts, 0.31 mm hoch
 Streuwert 3.59, horizontal: 2.95, vertikal: 4.13

Unterschrift des Schützen

Meyton Elektronik